



APPLICATION FOR DEVELOPMENT ORDER IN UNINCORPORATED AREAS ONLY

Project Name: SHOPPES OF COCONUT TRACE

Project Description: PROPOSED CONSTRUCTION OF A MULTI-USE DEVELOPMENT WITHIN THE
ESTERO POINTE CPD.

Project Type: Small DO* Large DO* CIP Project

**A project becomes a large DO if it is over 10 acres in size or has 2 acres or more of impervious cover.*

This application will be processed electronically. I acknowledge that final plans and documents will only be available through Lee County's [ePlan](#) system.

1. **Name of Applicant:** CFT NV DEVELOPMENTS LLC
Address: 3750 LAS VEGAS BLVD S #4106
City, State, Zip: LAS VEGAS NV, 89158
Phone Number: 913-649-8181 E-mail: JASON.STUCKER@KLOVER.NET

2. **Relationship of Applicant to owner (check one) and provide Affidavit of Authorization form. [10-107; 10-153(1); 10-153(2)]**
 Applicant is the sole owner of the property.
 Applicant has been authorized by the owner(s) to represent them for this action.

3. **Authorized Agent: (If different than applicant) Name of the person who is to receive all County-initiated correspondence regarding this application. [10-153(2)]**
a. **Company Name:** BOHLER ENGINEERING
Contact Person: KYLE MOREL, P.E.
Address: 3820 NORTHDAL BLVD., SUITE 300B
City, State, Zip: TAMPA, FL 33624
Phone Number: 813-812-4100 E-mail: KMOREL@BOHLERENG.COM

b. **Professional Consultants Information:** If professional assistance was used in preparing the application or submittal items, attach the Professional Consultants Information Exhibit. [10-153(2)f.]

4. **STRAP Number(s):** [Attach extra sheets if additional space is needed.] [10-153(3)a.]
09-47-25-E2-3500B.00B0

5. **Street Address of Property:** 22941 LYDEN DR

6. **Planning Community or Community Plan Area*:** ESTERO
**Note: Additional requirements may apply. See LDC Chapter 33 for additional information.*

8. **Improvements in County Rights-of-Way.** Is the proposed development solely for improvements within County owned rights-of-way?
 YES – If **YES**, application items #9 through 16, 17, 18 & 19 do not apply.
 NO

LEE COUNTY COMMUNITY DEVELOPMENT
PO BOX 398 (1500 MONROE STREET), FORT MYERS, FL 33902
PHONE (239) 533-8585

9. **Legal Description: [10-154(1)]**
 Legal description (8½"x11") and sealed sketch of the legal description
OR
 The property is located within a subdivision platted per F.S. Chapter 177, and is recorded in the Official Records (or Plat Books) of Lee County.
10. **Boundary Survey: [10-154(3)]**
 A Boundary survey, tied to the state plane coordinate system.
OR
 A copy of the subdivision plat if the property is located within a subdivision platted per F.S. Chapter 177, and is recorded in the Official Records (or Plat Books) of Lee County
11. **Use(s) of Property:**
a. Current uses of property are: VACANT
b. Intended uses of property are: COMMERCIAL
12. **Lee Plan (Future Land Use) Designation:** URBAN COMMUNITY
13. **Current Zoning of Property:** CPD
14. **Property Dimensions [10-153(3)(c)]:**
a. Width (average if irregular parcel): 350 Feet
b. Depth (average if irregular parcel): 235 Feet
c. Total area: 1.90 Acres or square feet
15. **Zoning Approval(s).** List the case number or resolution number of any variance, special exception, rezoning, or other zoning actions that have been granted or requested on the property. **[10-153(4)]**
Z-00-010
16. **DO/LDO Approval(s).** List the case number of any development order or development standards exemptions that have been approved or filed on the property. **[10-153(4)]**
DOS2008-00116; DOS2004-00243; DOS2007-00272
17. **Commercial Building Design.** Is the proposed development within a commercial zoning district? **[10-600]**
 YES – If **YES**, Commercial Architectural Design Standards apply (see LDC Section 10-600)
 NO – If **NO**, application items #18 and 19 do not apply.
18. **Commercial Architectural Design Applicability:** Which category best describes the proposed development? If the answer is anything other than "None of the above," then Commercial Architectural Compliance is required (see architectural review requirements in LDC Section 10-600, et al.). **[10-602]**
 New Building
 Building Addition (>50% of sq ft of existing building)
 Renovation (>50% of sq ft of existing building)
 Redevelopment (>50% of sq ft of existing building)
 Discontinuance (use of building was discontinued for one year or more)
 None of the above (If none of the above, application item #20 does not apply)
19. **Architectural Design Style:** Indicate the architectural design style proposed for this project. {Note: If the proposed development is within an individual Planning Community/Community Plan area (see application item #7), then refer to the specific Architectural style requirements outlined in LDC Chapter 33.}
 Mediterranean
 Old Florida
 Modern International
 Main Street
 Key West
 Colonial
 Contemporary
 Caribbean
 Spanish
 Vernacular
 Florida Vernacular
 Other _____

SUBMITTAL REQUIREMENTS

Clearly label all submittal documents with the document name indicated below.

One copy of all submittal items may be submitted electronically through [ePlan](#) or at the Permitting Lobby unless otherwise noted.

SUBMITTAL ITEMS

Completed application [10-153]

Filing Fee - [10-108(a)]

PLAN SETS

Existing Conditions Drawings [10-154(6)]

Area Location Map [10-154(6)(a)]

Site Plan [10-154(7)]

Utility Plans [10-154(6)(h); 10-154(7)(j)]

Drainage Plans [10-154(7)(k)]

Landscaping Plans [10-154(7)(l)]

FLUCCS Map [10-154(6)(f)] (if applicable - required if DO is a large project)

Exterior Lighting Plan [10-154(8)] (if applicable – required if exterior lighting is to be provided)

Architectural Elevations [10-604] (if applicable)

ADDITIONAL SUBMITTAL ITEMS

Affidavit of Authorization [10-153(1)] *Prior to DO approval, one signed & notarized original must be submitted*

Professional Consultants Information [10-153(2)(f)]

Legal description and sealed sketch of legal description or copy of plat [10-154(1)] (if applicable)

Boundary Survey or plat [10-154(3)] (if applicable)

Title Certification [10-154(2)] (if applicable)

List of STRAP Numbers (if additional sheet is required) [10-153(3)a]

Community Meeting Notes [Chapter 33] (if applicable)

Stormwater Pollution Prevention Plan (SWP3) [14-477]

Traffic Impact Statement [10-154(10)]

Protected Species Survey [10-154(14)] (if applicable)

Protected Species Management Plan [10-154(15)] (if applicable)

Certificate to Dig [10-154(16)] (if applicable)

Historical Impact Assessment [10-154(17)] (if applicable)

Exotic Vegetation Removal Plan [10-154(18)] (if applicable)

Hazardous Materials Plan [10-154(12)] (if applicable – private port facilities only)

Port Facility Permits (i.e. Tall Structures Permit) [10-154(13)] (if applicable)

Fire Protection Plan [10-154(20)] (if applicable)

Emergency Preparedness Plan [10-154(21)] (if applicable)

State/Federal Permit Applications [10-154(22)] (if applicable)

Operation & Maintenance Covenants [10-154(23)] (if applicable)

Assignment of Maintenance [10-154(24)] (if applicable)


Cost Opinion [10-154(25)] (if applicable)

Surety/Cash Bond [10-154(26)] (if applicable)

Lee Plan Consistency [10-154(27)]

Drainage Discharge Agreement [10-154(28)] (if applicable)

NOTE: Items in same color can be uploaded into ePlan as one file (those in white need to be separate files).



LANDSCAPE MATERIALS LIST

QTY	KEY	BOTANICAL NAME	COMMON NAME	SPECIFICATIONS	NATIVE
4	CES	Conocarpus erectus	Silver Buttonwood	B/B, min. 10' Oah X 4' spr., 2" caliper	Y
10	LI	Lagerstroemia indica	Crape Myrtle 'Natchez'	B/B, min. 10' Oah X 4' spr., 2" caliper, std.	N
3	MG	Magnolia grandiflora 'Little Gem'	Little Gem Magnolia	B/B, min. 16' Oah X 6' spr., 4" caliper	Y
15	SP	Sabal palmetto	Cabbage Palm	B/B, min. 10' - 14' clear-trunk hts. as list, tied fronds	Y
17	UA	Ulmus alata	Winged Elm	B/B, min. 10' Oah X 4' spr., 2" caliper	Y
10	TD	Taxodium distichum	Bald Cypress	B/B, min. 16' Oah X 6' spr., 4" caliper	Y
192	ICC	Ilex cornuta 'Carissa'	Carissa Holly	min. 3 gallon, 24" ht. @ 30" o.c.	N
124	IVS	Ilex vomitoria 'Nana'	Ilex Schillings	min. 3 gallon, 24" ht. @ 30" o.c.	Y
219	VO	Viburnum obovatum	Walters viburnum	min. 3 gallon, 24" ht. @ 30" o.c.	Y
287	DTV	Dianella tasmanica 'Variegata'	Variegated Flax Lily	min. 1 gallon @ 24" o.c.	N
71	MC	Muhlenbergia capillaris	Muhly Grass	min. 1 gallon @ 30" o.c.	Y
335	TA	Trachelospermum asiatic	Minima Jasmine	min. 1 gallon @ 18" o.c.	N
	SOD	Paspalum notatum	Bahia Sod	sq.ft.	
	MLCH	Pine Bark mulch	Shredded Pine Bark Mulch	Cu.Yd.	

HARDEAN · KEMPTON & ASSOCIATES, INC.
Landscape Architects

2207 W. North A Street
Tampa, Florida 33606
Ph: 813-258-0066
www.hka-design.com

CA #26775

ALL CONCEPTS, LAYOUTS, DELINEATIONS AND PLANS DEPICTED BY THIS DRAWING ARE THE PROPERTY OF HARDEAN KEMPTON & ASSOCIATES, INC. AND WERE DEVELOPED FOR THIS SPECIFIC PROJECT. THESE CONCEPTS, LAYOUTS, PLANS AND DELINEATIONS ARE NOT TO BE TRANSFERRED TO ANY PERSON, FIRM, OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN APPROVAL OF HARDEAN KEMPTON & ASSOCIATES, INC.

LANDSCAPE REQUIREMENTS

As per Lee County landscape code (Section 10-416) and Coconut Trace overlay district requirements.
Note: Canopy Tree = Tree with a mature spread/crown of at least 20 ft.

- VUA LANDSCAPE REQUIREMENT**
10% of total paved area = req'd planting area
1 canopy tree or 3 sabals / 250 sf of req'd landscape area (landscape area includes internal islands and perimeter v.u.a.)
40,842 sf x .10 = 4,084 sf landscape area
4,084 sf / 250 = (16) 2" cal. trees req'd
(16) 2" trees provided
- LANDSCAPE BUFFERS - (Type D)**
(adjacent to public right-of-way)
15' width buffer
5 trees per 100 lf; double staggered 36" ht. hedge row
- EAST (US-41)**
209 / 100 lf = 2.09 x 5 = (10) trees
(3) existing trees and palms to remain and
(4) trees and (3) palms provided
- WEST (Lyden Drive)**
209 / 100 lf = 2.09 x 5 = (10) trees
(8) existing trees to remain and (2) palms provided
- LANDSCAPE BUFFERS - (Type A)**
(adjacent to commercial zone property)
5' width buffer
4 trees per 100 lf
- NORTH - 289/100 lf = 1.6 x 4 = (6) trees**
(3) trees and (3) palms provided
- SOUTH - 359/100 lf = 3.59 x 4 = (14) trees**
(7) trees and (7) palms provided
- GENERAL TREE REQUIREMENT**
1 tree / 3,500 sf of development area
(This req't is in addition to other requirements).
82,695 / 3,500 = (27) trees req'd,
(13) 4" trees and (1) 2" trees provided
- OPEN SPACE REQUIREMENT**
20% of all development area
82,695 sf x .20 = 16,539 sf required and provided
- BUILDING PERIMETER PLANTINGS REQUIREMENT**
10% of proposed building gross ground level floor area min. 5 ft wide, must be on 3 most visible sides of building
Shrubs and Groundcover must cover 50% of req'd area.
Turfgrass limited to 10% of the req'd area.
- Restaurants -
5,600 sf x .10 = 560 sf required and provided
Retail -
7,480 sf x .10 = 748 sf required and provided
- TOTAL TREE REQUIREMENT**
(83) total trees req'd
(11) existing trees and palms @ 1:1 (buffers) = (11) trees
(15) sabal palms @ 1:1 (buffers) = (15) trees
(30) 2" cal.trees provided
(13) 4" cal.trees provided; equivalent to (1) 2" cal. trees
Total (69) trees provided
- MIN. NATIVE PLANTING REQUIREMENT**
75% of total required trees or palms must be native
83 x .75 = (63) min. native trees or palms req'd and provided
- ADDITIONAL NOTES:**
All interior landscape areas not dedicated to trees or to preservation of existing vegetation must be landscaped with grass, ground cover, shrubs or other approved landscaping materials. Sand, gravel, rock, shell or pavement are not appropriate landscape materials.
A three-inch min. layer, after watering-in, of mulch or other recycled materials must be placed and maintained around all newly installed trees, shrubs, and ground cover plantings. Each tree must have a ring of mulch no less than 24 inches beyond its trunk in all directions. Areas not planted with trees, shrubs, or ground covers shall be sodded with sod.
Contractor shall install new irrigation system to provide 100% coverage to all landscape areas.

REQUIRED TREE LEGEND

- (label indicates how each tree satisfies the code requirement)
- V V.U.A. tree (Qty: 16)
 - N North buffer trees (Qty: 6)
 - S South buffer trees (Qty: 14)
 - W West buffer trees (Qty: 10)
 - E East buffer trees (Qty: 10)
 - G General trees (Qty: 27)

SPECIFIC NOTES:

Trees may not be placed where they interfere with utilities, site drainage, views, signs, or where they require frequent pruning to avoid overhead power lines. Specifically, all large trees must be located at least 20 ft away from utility lines, while all small trees (e.g., Sabal Palms) must be located at least 10 ft away

GENERAL IRRIGATION NOTES

To improve the survivability of required landscaping, cultivated landscape areas must be provided with an automatic irrigation system. All required irrigation systems must be designed to eliminate the application of water to impervious areas, including roads, drives and other vehicle areas. Required irrigation must also be designed to avoid impacts on existing native vegetation.

All new developments that have required landscaping must be irrigated by the use of an automatic irrigation system with controller set to conserve water. Moisture detection devices must be installed in all automatic sprinkler systems to override the sprinkler activation mechanism during periods of increased rainfall. Where existing irrigation systems are modified requiring the acquisition of a permit, automatic activation systems and overriding moisture detection devices must be installed

PROHIBITED INVASIVE EXOTICS TREE LIST


NOTE: All exotics will be removed from development area and maintained free from invasive exotic plants in perpetuity.

- INVASIVE EXOTIC PLANTS INCLUDE:
- Earleaf
 - Acacia
 - Woman's Tongue
 - Australian Pines
 - Carrotwood
 - Rosewood
 - Air Potato
 - Murray Red Gum
 - Weeping Fig
 - Cuban Laurel Fig
 - Japanese Climbing Fern
 - Melaleuca
 - Downy Rose Myrtle
 - Old World Climbing Fern
 - Chinese Tallow
 - Brazilian Pepper
 - Tropical Soda Apple
 - Java Plum
 - Rose Apple
 - Cork Tree
 - Wedelia.


CALL 48 HOURS BEFORE YOU DIG

It's the Law!
1-800-432-4770
SUNSHINE STATE ONE CALL OF FLORIDA, INC.


- NOTES:
- SPACING VARIES SEE PLAN/SCHEDULE
 - PLANT SHALL BEAR THE SAME RELATIONSHIP TO FINISHED GRADE AS IT BORE IN THE CONTAINER.
 - PLANTING HOLE SHALL HAVE VERTICAL SIDES.



2 SHRUB/ GROUND COVER PLANTING DETAIL
NOT TO SCALE



1 TYPICAL TREE PLANTING AT GRADE
NOT TO SCALE




3 TYPICAL SABAL PALM TREE PLANTING DETAIL
(RATED FOR WINDS UP TO 50 MPH)
NOT TO SCALE

DUCKBILL EARTH ANCHOR TABLE

TREE CALIPER	MODEL NUMBER	RATED CAPACITY	MINIMUM DEPTH OF INSTALLATION
UP TO 3"	40-DTS	300 LBS. EA.	20"
UP TO 6"	68-DTS	1,100 LBS. EA.	30"
UP TO 11"	88-DTS	3,000 LBS. EA.	42"
NOT RATED	138-DTS	5,000 LBS. EA.	60"

NOTE: RATED FOR WINDS UP TO 50 MPH



U.S. 41 (S.R. 45) Tamiami Trail
 200' Wide Public R/W Per Inst. No. 2006000423660 - Asphalt Pavement

LEGEND:

- EXIST. PROPERTY LINE
- EXIST. EASEMENT LINE
- EXIST. LANDSCAPE BUFFER LINE
- PROP. BUILDING SETBACK
- PROP. BUILDING
- PROP. BUILDING SHADE
- PROP. CONCRETE PAVEMENT
- PROP. BUILDING FOUNDATION LANDSCAPING
- PROP. PARKING SPACE COUNT
- PROP. SITE LIGHTING
- CURB RAMP PER FOOT INDEX #104

SITE DATA:

PARCEL ID / STRAP NUMBER	09-47-25-E2-3500B.00B0
SITE ADDRESS	22941 LYDEN DRIVE ESTERO, FL 33928
TOTAL SITE AREA	82,758 SF (1.90 AC)
EXISTING BUILDING AREA	0 SF
EXISTING VUA	0 SF
EXISTING GREEN SPACE	62,758 SF (1.90 AC)
EXISTING IMPERVIOUS AREA	0 SF
PROPOSED BUILDING AREA	13,180 SF (0.30 AC)
PROPOSED PATIO AREA	4,165 SF (0.10 AC)
PROPOSED VUA	42,513 SF (0.97 AC)
PROPOSED GREEN SPACE	22,900 SF (0.53 AC) - 27.7%
PROPOSED IMPERVIOUS AREA	59,858 SF (1.37 AC) - 72.3%
OPEN WATER	0 SF
REQUIRED PARKING SPACES	RESTAURANT: 7,700 S.F. (12.5 SPACES / 1,000 S.F.) = 97 SPACES PATIO: 600 S.F. (12.5 SPACES / 1,000 S.F.) = 8 SPACES RETAIL: 5,480 S.F. (1 SPACE / 350 S.F.) = 16 SPACES
TOTAL:	121 SPACES
PROVIDED TYPICAL PARKING SPACES	100 SPACES
PROVIDED ADA SPACES	5 SPACES
TOTAL PROVIDED PARKING SPACES	115 SPACES
REQUIRED BICYCLE PARKING	(5% OF REQUIRED PARKING) = 6 SPACES
PROVIDED BICYCLE PARKING	6 SPACES
TYPICAL PARKING STALL SIZE	9' X 18' (12' X 18' ADA)
JURISDICTION	LEE COUNTY
EXISTING ZONING	CPD - COMMERCIAL PLANNED
EXISTING LAND USE	VACANT
PROPOSED LAND USE	COMMERCIAL
BUILDING SETBACK REQUIREMENTS	NORTH: 10 FT EAST: 25 FT SOUTH: 10 FT WEST (LYDEN DRIVE): 25 FT
LANDSCAPE BUFFER REQUIREMENTS	NORTH: 10 FT EAST: 20 FT SOUTH: 10 FT WEST (LYDEN DRIVE): 10 FT
REQUIRED FOUNDATION LANDSCAPING	10% OF GROSS BUILDING AREA = (0.10 X 13,180 SF) = 1,318 SF
PROVIDED FOUNDATION LANDSCAPING	1,400 SF
REQUIRED INTERIOR LANDSCAPING	10% OF VEHICULAR USE AREA = (0.10 X 42,513) = 4,251 SF
PROVIDED INTERIOR LANDSCAPING	7,475 SF
MAXIMUM BUILDING HEIGHT	35 FT
PROPOSED BUILDING HEIGHT	22 FT

SITE NOTES:

- ALL DIMENSIONS SHOWN ARE SHOWN AT FACE OF CURB. UNLESS OTHERWISE NOTED. B/C INDICATES DIMENSION IS TO BACK OF CURB.
- ALL RADI DIMENSIONS ARE 3' TO FACE OF CURB UNLESS OTHERWISE NOTED.
- ALL PAVEMENT MARKINGS AND SIGNAGE SHALL BE IN ACCORDANCE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS," LATEST EDITION.
- THE SITE APPEARS TO BE IN FLOOD ZONE X, ACCORDING TO THE FEDERAL EMERGENCY MANAGEMENT AGENCY, FLOOD INSURANCE RATE MAP, COMMUNITY PANEL NUMBER 12071C0593F, EFFECTIVE DATE 8-28-2008.
- FREE STANDING SIGNAGE SHOWN ONLY FOR REPRESENTATIONAL PURPOSES, AND SHALL BE PERMITTED SEPARATELY.

ADA ACCESSIBILITY NOTES:

- ALL HANDICAPPED PARKING SPACES AND ACCESS AISLES ADJACENT TO THE HANDICAP PARKING SPACES SHALL HAVE A MAXIMUM OF 2% SLOPE IN ALL DIRECTIONS (THIS INCLUDES RUNNING SLOPE AND CROSS SLOPE).
- AN ACCESSIBLE ROUTE FROM THE PUBLIC STREET OR SIDEWALK TO ALL BUILDING ENTRANCES MUST BE PROVIDED. THIS ACCESSIBLE ROUTE SHALL BE A MINIMUM OF 60" WIDE. THE RUNNING SLOPE OF AN ACCESSIBLE ROUTE SHALL NOT EXCEED 5% AND THE CROSS SLOPE SHALL NOT EXCEED 2%.
- SLOPES EXCEEDING 5% BUT LESS THAN 8% WILL REQUIRE A RAMP AND MUST CONFORM TO THE REQUIREMENTS FOR RAMP DESIGN (HANDRAILS, CURBS, LANDINGS). NO RAMP SHALL EXCEED AN 8% RUNNING SLOPE OR 2% CROSS SLOPE.
- IN THE CASE THAT A NEW SIDEWALK WILL BE CONSTRUCTED IN THE RW OF A SITE THE RUNNING SLOPE OF THE SIDEWALK SHALL NOT EXCEED 5% AND THE CROSS SLOPE SHALL NOT EXCEED 2%. THIS STANDARD APPLIES TO CROSS WALKS IN THE DRIVEWAY AS WELL AND WILL REQUIRE SPECIAL ATTENTION DURING STAKING TO MAKE SURE THE 2% CROSS SLOPE IS MET IN THE CROSS WALK.
- IT WILL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO ENSURE THAT THE HANDICAP PARKING SPACES, ACCESSIBLE ROUTES, AND SIDEWALKS/CROSSWALKS ARE CONSTRUCTED TO MEET ADA REQUIREMENTS.
- ANY REQUIREMENTS LISTED ABOVE THAT CAN NOT BE MET SHALL BE BROUGHT TO THE ENGINEER'S ATTENTION IMMEDIATELY. ANYTHING NOT BUILT TO THE ABOVE STANDARDS WILL REQUIRE REMOVAL AND REPLACEMENT OF THE NON COMPLIANT AREAS AT THE GENERAL CONTRACTORS COST.

BOHLER ENGINEERING

STATE OF FLORIDA LICENSE NO. 77085

PROFESSIONAL ENGINEER

DATE: 05/29/15

REVISIONS

REV	DATE	COMMENT	BY

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG

It's fast. It's free. It's the law.

www.callsunshine.com

PERMIT SET

PROJECT No.: FLT150017
 DRAWN BY: JDP
 CHECKED BY: GRR
 DATE: 05/29/15
 SCALE: 1" = 20'
 CAD I.D.: SP0

SITE CONSTRUCTION DRAWINGS

FOR

CFT NV DEVELOPMENTS, LLC

LOCATION OF SITE
 22941 LYDEN DRIVE
 ESTERO, FL 33928
 LEE COUNTY

BOHLER ENGINEERING

3820 NORTHDAL BLVD., SUITE 300B
 TAMPA, FLORIDA 33624
 Phone: (813) 812-4100
 Fax: (813) 812-4101
 FLORIDA BUSINESS CERT. OF AUTH. No. 30789

WYLE STEVEN WOTEL

LICENSE NO. 77085

STATE OF FLORIDA

PROFESSIONAL ENGINEER

DATE: 05/29/15

SHEET TITLE:

SITE LAYOUT PLAN

SHEET NUMBER:

C-5