The Old Estero Post Office


Planning & Zoning Board

November 19, 2019

8111 Broadway East Village of Estero



Area Location Map







Enlarged Area Location Map







EXISTING CONDITIONS





Master Concept Plan

STREET ADDRESS

8111 BROADWAY E ESTERO FL, 33928

STRAP NUMBERS

28-46-25-E2-U1923.2494

PROJECT INFORMATION

FUTURE LAND USE = URBAN COMMERCIAL

CURRENT ZONING = AG-2

PROPOSED ZONING = COMMERCIAL PLANNED DEVELOPMENT (CPD)

= COMMERCIAL/OFFICE/RETAIL PROPOSED USE MIN. LOT SIZE = 46,547 SF/1.07 AC

= 4,800 SF MAXIMUM INTENSITY

MIXED USE OVERLAY

= #28 - IMMOKALEE SAND EXIST. SOIL TYPES

IRRIGATION SERVICE = IRRIGATION WELL

ARCHAEOLOGICAL

SENSITIVITY LEVEL

BUILDING SETBACK REQUIREMENTS /

SOUTH (FRONT/STREET) = 25 FT NORTH (REAR) EAST (SIDE) = 16 FT* WEST (SIDE) = 20 FT

* SEE DEVIATION

ZONING/ACTUAL USE

PROJECT SITE: CPD/COMMERCIAL NORTH: CC/COMMERCIAL SOUTH: BROADWAY E. ROW EAST: AG-2/SFR WEST: CC/COMMERCIAL

LANDSCAPE BUFFER REQUIREMENTS

COM TO COM: 5' WIDE TYPE A BUFFER REQUIRED

4 TREES/100 LF

COM TO ROW: 20' WIDE TYPE D BUFFER REQUIRED 5 TREES/100 LF AND DOUBLE-STAGGERED HEDGE ROW COM TO SFR: 20' WIDE TYPE C BUFFER *SEE DEVIATION #3 10 TREES AND 30 SHRUBS/100 LF WITH 8' HIGH WALL

COM TO COM: 5' WIDE TYPE A BUFFER

4 TREES/100 LF

OPEN SPACE REQUIREMENTS


SMALL COMMERCIAL DEVELOPMENTS = 20% REQUIRED: 20% X 46,547 SF = 9,309 SF PROVIDED: 15,704 SF / 33.7%

PARKING REQUIREMENTS

REQUIRED: AS REQUIRED BY THE LDC - TO BE DETERMINED AT TIME OF D.O.

PROVIDED: 30 SPACES INCLUDING 2 HANDICAP SPACES

PLUS 11 OVERFLOW SPACES OR OUTDOOR STORAGE AREA



MINOR COLLECTOR

LEGEND

EXISTING RIGHT-OF-WAY EDGE OF PAVEMENT E.O.P. CONC. CONCRETE TYPICAL TYP. CHAIN LINK FENCE CLF SQUARE FEET LINEAR FEET CY CUBIC YARDS RADIUS, 5' UNLESS OTHERWISE NOTED


(10SP NUMBER OF PARKING SPACES IN LOT

PROPOSED PAVEMENT

PROPOSED CONCRETE LANDSCAPE BUFFER

DEVIATION





Proposed Master Concept Plan & South Elevation



PROPOSED SOUTH ELEVATION




Surrounding Zoning & Existing Uses Map






Deviations

- Deviation 1: Relief from LDC Sec. 34-935(b)(1), which requires a 20-foot building setback, to permit a 16-foot building setback to the east property line.
- Deviation 2: Relief from LDC Sec. 34-935(b)(2), which requires parking lots and internal drives to be 20 feet from the east property line, to permit the existing parking lot and driveway to be located 15 feet from the east property line.



• Deviation 3: Relief from LDC Sec. 33-351, which requires a Type C Buffer to be a minimum of 20 feet wide with 10 trees and 30 shrubs per 100 lf plus an 8-foot high wall along the east property line. Request to permit the buffer to be 15 feet wide, to allow the existing building to act as the buffer wall for 80 lf, and to permit the wall to be located 10 feet from the property line.



• Deviation 4: Relief from LDC Sec. 33-118, which requires adjacent commercial uses to provide interconnections for automobiles, bicycles, and pedestrians. Request to permit pedestrian-only interconnects to the adjacent commercial property.






• Deviation 5: Relief from LDC Sec. 34-1742(b), which requires all fences and walls to be uniform in material, design and color. Request to permit the buffer wall to be different than the ex. CLF.







• Deviation 6: Relief from LDC Sec. 10-285, which requires a connection separation distance of 330 feet on Collector roads. Request the driveway to be located 298 ft from US 41 and 265 ft from the ex. residential driveway to the east.



Connectivity/Public Seating/Buffers

Vehicular and Pedestrian Connectivity:


Stairs and Sidewalk to Adjacent Commercial Plaza to West

ADA Compliant Sidewalk and Ramp with Handrails Connecting to Existing Public Sidewalk to West

Full Access Driveway on Broadway E. (Eliminating Existing Driveway Closer to Intersection)



Public Seating in Landscaped Area near Flagpole



North Buffer:

5' wide with 4 trees per 100 lf

West Buffer:

5' wide with 4 trees per 100 lf


East Buffer:

15' wide with 10 trees and 30 shrubs per 100 lf plus 8' high solid opaque wall

South Buffer: 20' wide with 5 trees per 100 lf and double hedgerow



Tree Preservation & Open Space



Protected Trees:

Mahogany Trees, 10" - 16" dbh (3

Oak Trees, 14" – 18" dbh (2)

Magnolia Trees, 12" dbh (1)

Pine Trees, 11" – 17" dbh (9)

Palm Trees, 8′ – 30′ ht (6)







Architectural Facades/Elevations South Elevation








SIGN PANEL

SIGN PANEL

N PANEL




PROPOSED SOUTH ELEVATION
























PROPOSED NORTH ELEVATION





Colors and Materials



CLAY ROOF TILE SUNBURST




CANVAS AWNING




HIGH DENSITY URETHANE BRACKET WHITE




GATE, BUFFER WALL & DUMPSTER ENCLOSURE BLACK BEAN




FIRED BRICK SW-6335




CORAL ISLAND SW-6332



SUNNY VERANDA SW-9017




LIGHT FRENCH GREY SW-0055




BLACK BEAN SW-6006



Monument Sign & Dumpster Enclosure








Color Rendered Landscape Plan





Existing Tree Exhibit





EX REIDS

WIDE NATURAL VEGETATIVE BUFFER

Landscape Plan

PLANT SCHEDULE											
KEY	SYMBOL	QTY	SPECIES	PLANT TYPE	CATEGORY	NATIVE STATUS					
PROPOSED TREES											
IC	\odot	30	Dahoon Holly, Ilex cassine	CANOPY	BUF	YES					
		4			VUA						
MV	\bigcirc	1	Sweetbay Magnolia, Magnolia virginiana	CANOPY	GEN	YES					
		5			VUA						
PE	0	11	Southern Slash Pine, Pinus elliottii var. densa	CANOPY	BUF	YES					
		1		CANOPI	GEN						
	\odot	5	Bald Cypress, Taxodium distichum	CANOPY	BUF	YES					
TD		3			GEN						
TOTAL TREES 60 ***FOR REVIEWER ONLY*** (60 + 14 (GEN/PCT) + 12 (BUF/PCT) = 86											
PROP	OSED SHRU			_							
CI		99	Red Tip Cocoplum, Chrysobalanus icaco 'Red Tip'	SHRUB	BUF	YES					
_		104			VUA						
JD		31	Parson's Juniper, Juniperus davurica 'Parsonii'	SHRUB	BPP	YES					
		60			VUA						
MG		84	Muhly Grass, Muhlenbergia capillaris	GRASS	VUA	YES					
SB	£3	101	Sand Cordgrass, Spartina bakerii	GRASS	VUA	YES					
SR		93	Silver Saw Palmetto, Serenoa repens	SHRUB	BUF	YES					
ZP		34	Coontie, Zamia pumila	SHRUB	VUA	YES					
TOTAL SHRUBS 606											
	40)/33/3		Floratam Grass, Stenotaphrum secundatum 'Floratam'	LAWN	THROUGHOUT	YES					

Size & Specification Notes

12'-0" - 14'-0" HT. min., 3" Caliper @ 6" above grade min., 6'-0" Spread min.

10'-0" min. of clear trunk after planting, Staggered heights when grouped.

SHRUBS: 24" HT., 3-Gal. Cont., Spaced 18 - 36" O.C.

*Serenoa repens and Zamia floridana (Zamila pumila) must be 12" min. @ time of planting.

SOD:
All sod to be solid, free of weeds and pests, sand-grown, sand-leveled, and hand-laid.

A minimum two-inch thick layer of mulch, measured after watering-in, shall be placed around all newly installed trees, shrubs, and groundcover plantings. All landscape areas not receiving a vegetative cover must be mulched. Each tree must have a ring of mulch no less than 24 inches beyond its trunk. The use of cypress mulch is discouraged.

OUALITY:
Plant materials used to meet the requirements of this division must meet the standards for Florida No. 1 or better, as provided in Grades and Standards for Nursery Plants, Parts I and II, Department of Agriculture, State of Florida (as amended), Root ball sizes on all transplanted plant materials must also meet state standards.

NATIVE VARIETIES:


At least 75 percent of the trees and 50 percent of the shrubs used to fulfill requirements of this chapter must be Florida native species.

Required: 75% / 50% Provided: 100% / 100%


A root barrier shall be required for all canopy trees planted within 7-0" of any roadway, sidewalk, or easement.



Landscape Buffers



SOUTH



EAST





Landscaping Images

Trees










Shrubs and Ground Cover













PLANT SCHEDULE

KEY	SYMBOL	QTY	SPECIES	PLANT TYPE	CATEGORY	NATIVE STATUS		
PROP	OSED TREES							
IC	+	30	Dahoon Holly, Ilex cassine	CANOPY	BUF	YES		
		4			VUA			
MV	\bigcirc	1	Sweetbay Magnolia, Magnolia virginiana	CANOPY	GEN	YES		
MV		5			VUA			
	A LONG TO MALE	11	Southern Slash Pine, Pinus elliottii var. densa	CANOPY	BUF	YES		
PE		1			GEN			
	\odot	5	Bald Cypress, Taxodium distichum	CANOPY	BUF	YES		
TD		3			GEN			
TOTAL TREES 60 ***FOR REVIEWER ONLY*** (60 + 14 (GEN/PCT) + 12 (BUF/PCT) = 86								
PROP	OSED SHRU	BS						
CI		99	Red Tip Cocoplum, Chrysobalanus icaco 'Red Tip'	SHRUB	BUF	YES		
Ci		101			VUA			
JD		31	Parson's Juniper, Juniperus davurica 'Parsonii'	SHRUB	BPP	YES		
JU		60			VUA			
MG		84	Muhly Grass, Muhlenbergia capillaris	GRASS	VUA	YES		
SB	**************************************	101	Sand Cordgrass, Spartina bakerii	GRASS	VUA	YES		
SR		93	Silver Saw Palmetto, Serenoa repens	SHRUB	BUF	YES		
ZP		34	Coontie, Zamia pumila	SHRUB	VUA	YES		
TOTAL SHRUBS 603								
	4)/33/4		Floratam Grass, Stenotaphrum secundatum 'Floratam'	LAWN	THROUGHOUT	YES		



Color Rendered Master Concept Plan





Paving, Grading & Drainage Plan

