



GENERAL NOTES - FLOOR PLAN

- A. ALL INTERIOR DIMENSIONS ARE TO CENTER OF STUD.
- B. EDGE OF DOOR JAMB SHALL BE MINIMUM 4" FROM INTERSECTING WALL U.N.O. OR AS REQUIRED FOR HARDWARE INSTALLATION
- C. SEE SHEET A-620 FOR PARTITION TYPES
- D. BANK EQUIPMENT TO BE SUPPLIED AND INSTALLED BY VENDOR
- E. CONTRACTOR SHALL PROVIDE BLOCKING FOR ALL WALL-MOUNTED EQUIPMENT AND ACCESSORIES.
- F. CONTRACTOR SHALL COORDINATE ALL WOOD BLOCKING, STEEL SUPPORTS, AND ANY OTHER ITEMS WHICH ARE IMBEDDED IN DRYWALL PARTITIONS OR ENCLOSURES, WHICH RELATE TO THEIR WORK OR THE WORK OF ANY SEPERATE CONTRACTORS. ALL WOOD BLOCKING, BRIDGING, BRACING, FRAMING, ETC. SHALL BE FIRE RETARDANT TREATED AS CALLED FOR BY THE GOVERNING BUILDING CODE AND THE CONTRACTOR MUST SUBMIT AFIDAVITS OF SUCH FIRE TREATMENT TO THE OWNER
- G. ALL INTERIOR FINISHES ARE TO COMPLY WITH THE REQUIREMENTS AS SET FORTH IN THE CURRENT STANDARD EDITIONS OF ALL GOVERNING CODES, REGULATIONS, AND ORDINANCES HAVING JURISDICTION OVER THE SCOPE OF WORK.
- H. CONTRACTOR WILL SECURE ALL BUILDING PERMITS & INSPECTIONS NECESSARY FOR THE CONSTRUCTION OF THE PROJECT
- I. DRAWINGS ARE NOT TO BE SCALED
- J. LOCATION AND NUMBER OF FIRE EXTINGUISHERS ARE TO BE INSTALLED PER THE DIRECTION OF THE LOCAL AUTHORITIES AND NFPA 13
- K. FURNITURE AND MILLWORK TO BE PROVIDED BY OWNER VENDOR. G.C. TO COORDINATE LOCATION OF BLOCKING, PLUMBING, ELECTRICAL AND ALL OTHER REQUIREMENTS
- L. REFERENCE ENGINEERING PLANS FOR PLUMBING, ELECTRICAL EQUIPMENT, AND SYSTEMS. CONTRACTOR TO VERIFY AND COORDINATE PLUMBING ROUGH-IN DIMENSIONS WITH PLUMBER. (TO BE PROVIDED BY CONTRACTOR)
- M. CONTRACTOR TO SET BANKING EQUIPMENT TEMPLATES. EQUIPMENT VENDOR TO VERIFY CORRECT PLACEMENT AND TO COORDINATE WITH CONTRACTOR FOR PROPER PLACEMENT
- N. NO ADJUSTMENT TO THE CONTRACT AMOUNT WILL BE GIVEN FOR THE CONTRACTOR NOT FULLY ACQUAINTING THEMSELVES WITH EQUIPMENT VENDOR REQUIREMENTS.
- O. PINK NOISE IS TO BE PROVIDED BY THE CONTRACTOR. COORDINATE PINK NOISE LOCATION WITH MOOD MEDIA VENDOR. REFER TO ELECTRICAL DRAWINGS.
- P. REFER TO SHEET A-600 FOR DOOR AND WINDOW SCHEDULE
- Q. APPLIANCES PROVIDED AND INSTALLED BY G.C. U.N.O

KEY NOTES - FLOOR PLAN

- P1 FRONT LOADED ATM BY BANK VENDOR
- P2 RECESSED KNOX BOX WITH TAMPER SWITCH, MODEL # 3200R VERIFY LOCATION WITH LOCAL MUNICIPALITY TO INSURE COMPLIANCE
- P3 WALL MOUNTED MONITOR BY BANK VENDOR. COORDINATE W/ OWNER
- P4 PNL-1 PANEL SYSTEM BY BIG APPLE VISUAL GROUP. SEE A-706
- P5 NEW INTERIOR GLASS WALL SYSTEM (DIRTT WALL) PROVIDED AND INSTALLED BY G.C.
- P6 ROOF ACCESS LADDER. REFER TO SECTION 2/A312
- P7 MOP SINK - REFER TO PLUMBING DRAWINGS
- P8 HIGH-LOW DRINKING FOUNTAIN. REFER TO PLUMBING DRAWINGS
- P9 SINGLE SIDED VAT TUBES BY BANK VENDOR G.C. TO PROVIDE MITERED BLACK ANGLED ALUMINUM FRAME, (BOTH SIDES) AROUND VAT TERMINAL. G.C. TO COORDINATE OPENING SIZE AND LOCATION WITH BANK VENDOR
- P10 DUAL CONTROL KEY BOX
- P11 COMBO NIGHT DEPOSIT BOX / CASH VAULT. FURNISHED BY NATIONAL VENDOR AND INSTALLED BY NATIONAL VENDOR. PREPARATION BY G.C. G.C. TO PROVIDE INSULATION AND WOOD TRIM ON INTERIOR UPON COMPLETION OF ALL ELECTRIC & ALARM WIRING. G.C. TO PROVIDE WOOD BLOCKING BETWEEN BASE OF UNIT A
- P12 PHONE AND WALL MOUNTED MONITOR BY BANK VENDOR. COORDINATE W/ OWNER AND MEP
- P13 TCR MACHINE BY BANK VENDOR, COORDINATE WITH OWNER
- P14 LOCKERS
- P15 COPIER/PRINTER BY BANK VENDOR
- P16 6" DIA CONCRETE FILLED STEEL BOLLARD, SEE SHEET A-401 BOLLARD WITH BUMPER POST SLEEVE. COLOR TO BE DETERMINED
- P17 DRIVE UP ATM BY BANK VENDOR
- P19 LINE OF SOFFIT ABOVE
- P20 ASPHALT PAVEMENT - REFER TO CIVIL
- P21 LINE OF PRE-MANUFACTURED CANOPY ABOVE
- P22 CONCRETE SLAB. REFER TO STRUCTURAL DRAWINGS
- P23 EDGE OF CONCRETE DRIVE CURB. REFER TO STRUCTURAL & CIVIL DRAWINGS
- P24 REMOTE TELLER TERMINAL
- P25 NOT USED
- P26 ROOF LEADER. REFER TO PLUMBING, TYP.
- P27 DATA RACK. COORDINATE WITH MEP
- P28 ELECTRICAL METER. REFER TO ELECTRICAL
- P29 SLIM PROFILE FRAME MOUNTED ADA DOOR ACTUATOR. REFER TO ELECTRICAL DRAWINGS
- P30 DOWNSPOUT NOZZLE. REFER TO PLUMBING DRAWINGS
- P31 STRUCTURAL STEEL COLUMN. REFER TO STRUCTURAL DRAWINGS
- P32 RECESSED FIRE EXTINGUISHER CABINET, 10 AB UL RATED 4A-80B:C
- P33 LOCATION OF MOOD MEDIA CONTROLS
- P34 LEVEL 5 FINISH REQUIRED. WALL TO BE PRIMED AND READY TO RECEIVE FINAL FINISHES.
- P35 JOHN RYAN CONTROL PANEL. COORDINATE WITH VENDOR.
- P36 DRIVE-THRU INDICATOR LIGHT, INSTALLED AT 8'-0" AFF
- P37 WALL MOUNTED MOP HOLDER BY GC
- P38 WIRE SHELIVING BY GC
- P39 NOT USED
- P40 WALL PHONE AND MONITOR IN THIS LOCATION. PROVIDE WOOD BLOCKING AS REQUIRED. REFER TO ELECTRICAL DRAWINGS.
- P41 GANG MECHOSHSHADE CONTROLS IN THIS LOCATION
- P42 INSTALL FIRE RETARDANT PLYWOOD ON ALL WALLS WITHIN I/ELEC ROOM. PLYWOOD TO BE 6" TALL AND PAINTED WITH A FIRE RETARDANT PAINT TO MATCH ADJACENT WALL. G.C. TO MAINTAIN VISIBILITY OF FIRE TREATED MARKING ON PLYWOOD.
- P43 CAMERA TO BE MOUNTED AT EYE LEVEL. COORDINATE WITH SECURITY VENDOR



400 N Ashley Drive, Suite: 600 Tampa, FL 33602
 P: 813 - 323 - 9233 Lic. #: AA - 0003590 W: www.bdgflp.com



FIFTH THIRD BANK
CORKSCREW ROAD
BRANCH
 10850 MIROMAR OUTLET DRIVE
 ESTERO, FL

THESE DRAWINGS AND PLANS, ANY REPRODUCTION THEREOF, AND ANY CAD OR ELECTRONIC FILE OF THESE DRAWINGS AND PLANS HEREAFTER ("FILES") ARE THE SOLE AND EXCLUSIVE, PROPRIETARY PROPERTY OF BDG ARCHITECTS, AND MAY NOT BE REPRODUCED, PUBLISHED, INCORPORATED OR USED IN ANY WAY WITHOUT THE EXPRESS WRITTEN PERMISSION OF BDG ARCHITECTS. USE OF THESE PLANS FOR CONSTRUCTION SHALL BE CONSIDERED ACCEPTANCE OF THE TERMS CONTAINED HEREIN AND THE WRITTEN APPROVAL OF BDG ARCHITECTS. ANY CHANGES TO THESE PLANS, REGARDLESS OF HOW MADE, WITHOUT THE EXPRESS WRITTEN APPROVAL OF BDG ARCHITECTS, MAY CONSTITUTE A BREACH OF THESE PLANS WITHOUT THE EXPRESS WRITTEN APPROVAL OF BDG ARCHITECTS OR ANY AUTOMATICALLY RELEVANT ORGANIZATION. BDG ARCHITECTS SHALL AUTOMATICALLY RELEASE OF BDG ARCHITECTS FROM ANY LIABILITY, CLAIMS OR DAMAGES INCLUDING ERRORS AND OMISSIONS ARISING OUT OF OR RELATED TO THESE PLANS, ANY DISCREPANCIES OR CONFLICTS IN THE PLANS SHALL BE REFERRED IMMEDIATELY TO BDG ARCHITECTS FOR CLARIFICATION PRIOR TO COMMENCING WITH THE WORK. FAILURE TO HEED DISCREPANCIES OR CONFLICTS TO BDG ARCHITECTS PRIOR TO COMMENCING WORK SHALL RESULT IN THE WAIVER OF ANY CLAIMS OR DAMAGES ASSOCIATED WITH THE DISCREPANCIES OR CONFLICTS. THE CONTRACTOR IS RESPONSIBLE FOR THE COORDINATION, SCHEDULING, AND CONFORMANCE OF ITS WORK AND ALL WORK PERFORMED BY SUBCONTRACTORS OR OTHER TRADES WITH THE DESIGN DOCUMENTS.

ISSUE	BY	DATE	DESCRIPTION
		8/17/2020	PERMIT SET

PROJECT INFORMATION BLOCK			
JOB #	193504		
DATE:	08/17/2020		
DRAWN BY:	McR		
CHECKED BY:	JC		

SHEET TITLE	
FLOOR PLAN	
SHEET NUMBER	
A-110	

NOTE: PROJECT NORTH IS FOR CONSTRUCTION PURPOSES ONLY. REFER TO CIVIL DRAWING FOR TRUE NORTH AND CORRECT BUILDING ORIENTATION AS IT RELATES TO THE SITE.

