1999 05239

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

'ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for o	ompleting thi	s form can be found on	the following p	ages.
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER Gleneagles Links Drive					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Lot 33	Block Numbers, etc.) Block	Gleneagles	s Pelican Sound P	hase $oldsymbol{\mathcal{Z}}$	
CITY Estero				STATE FL	ZIP CODE 33928
	SECTION B F	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125 124	0465	С	11/4/92	A 14	+ 11.0
8. For Zones A or V, where	no BFE is provided o	n the FIRM, an		ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION	······································
of 13.1 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in acco 3. Indicate the elevation dat under Comments on Pagthe FIRM [see Section Equation under Comments on Page 14. Elevation reference mark	ot NGVD (or other FIRM VE, and V (with BFE), is at an elevation of Library BFE). The floor used the highest grade additional adjacent to the building redance with the commum system used in dee 2). (NOTE: If the early then converts on Page 2.) used appears on FIRM VE.	M datum—see The bottom of the bottom of the property of the bottom of th	Section B, Item 7). If the lowest horizontal stricted NGVD (or other FIRmode level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level element of the datum system used in the selected in the selected diagram is depth number is available and the selected diagram is depth number is	uctural member of M datum—see Sed diagram is feet at e, is the building ce? Yes vations: X NGV levations is differed on the FIRM at Page 4)	ove or below (check s lowest floor (reference No Unknown D'29 Other (describe
5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons	ion drawings is only v nly be valid for the bui struction is complete.)	ralid if the build Iding during the	ling does not yet have the e course of construction.	reference level i A post-constructi	on Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	building is: 1 14 14 12	6 feet NGVD (or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	- Miller B. B. (1984) - Street Brown, C. B. (1984) - Street Brown, C. B. (1984) - Street Brown, C. B. (1984)
1. If the community official resistance is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constructions.	defined in the comm	unity's floodpla	iin management ordinanc GVD (or other FIRM datu	e, the elevation o	of the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal)			
3261			
COMPANY NAME			
Bean, Whitaker, Lutz	& Barnes, Inc.		
CITY	STATE ZIP		
Fort Myers	FL 33919		
DATE (- 29-99	PHONE 941-481-1331		
	3261 COMPANY NAME Bean, Whitaker, Lutz CITY Fort Myers DATE (2-29-99 community official, 2) insurance agent/c		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.